

FILMCITY

Marvel 4ft Video Camera Slider

(FC-MVL-4)

INSTRUCTION MANUAL



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

INTRODUCTION

Filmcity introducing new Marvel 4ft Portable Camera Slider for video makers who want to capture dramatic shots from different angles. The High Strength camera slider features a wider rail design as compared to typical narrow track sliders. Its wide rail design & wide spread bearings offer premium stability while tracking your shots. No need to dismantle the camera plate for mounting & dismounting the camera. It offers a carriage break to keep video camera slider in static position. Its sturdy rubber feet adjust for precise leveling on uneven surfaces and prevent scratches on delicate surfaces. This video camera slider can be slanted & inverted at various angles on the tripod to capture smooth, diagonally moving shots. The Strategic design of slider dolly makes it light in weight for easy transportation purpose.

IN THE BOX

Please inspect the contents of your shipped package to ensure you have received all that is pictured and listed below.



Marvel 4ft Camera Slider

ASSEMBLING YOUR MARVEL CAMERA SLIDER

- Screw-in the fluid head (**Not Included**) onto the camera mounting plate of the slider.



- Now push the side button of Fluid Head and remove the Quick Release Plate and then Secure your camera on Quick Release Plate with the help of screw driver.



- Re-insert the Camera Setup on fluid head and tighten the knob to secure it properly.



NOTE: Loosen the knob of camera plate to slide it to the desired position.



Adjustable legs & balanced shorts with the micro-adjustable legs

You can perform precisely leveled shots on uneven surfaces also.



YOUR FILMCITY MARVEL 4FT VIDEO CAMERA SLIDER ALL DRESSED UP AND READY TO GO



WARRANTY

We offer a one year warranty for our products from the date of purchase.

We will repair or replace your product, free of charge, in the event of a defect in materials or craftsmanship obtained during normal use or handling based on the user manual. Please note that we will not cover any shipping costs for returning the product to us. If any VAT or import duties are applied to the return, we will also charge these costs to the customer.

The warranty does not include, by the way of example, damage caused by products that we

Do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product , or service by anyone other than our company.

We are not liable for incidental or consequential damages resulting from the use of the unit or occurring due to any breach of this warranty.

Replacement parts of the product will be provided at nominal cost (covering the cost price of the replacement parts only) to the customers after the Warranty Period has expired. We will cover the complete cost of sending replacement parts within the warranty period. After that, Nominal cost of the product & Actual shipping cost will be charged.

Do not send the unit to us without first getting a response and getting the approval to send back the item.

In case of any kind of dissatisfaction, we urge you to Contact us immediately and we shall do our best to help you out.

For any other assistance you can reach us via email.